Shortages of benzathine benzylpenicillin G in Australia highlight the need for new sovereign manufacturing capability

enzathine benzylpenicillin G (BPG) is the most effective treatment for syphilis and prevention of rheumatic heart disease (RHD), both of which disproportionately affect Aboriginal and Torres Strait Islander people. The ongoing syphilis epidemic in Australia¹ highlights the importance of a reliable supply of high quality BPG in achieving Australia's commitments to ending RHD and preventing new cases of congenital syphilis.²

BPG is a long-acting penicillin. After intramuscular injection, the BPG crystals slowly release penicillin into the bloodstream, providing sustained concentrations, which prevent the recurrent streptococcal infections that lead to RHD. These sustained concentrations can also treat established syphilis infections. The BPG manufacturing process and mode of delivery has remained largely unchanged since the 1950s. Australia, along with other high income countries, has imported Bicillin-LA (Pfizer), the only BPG preparation with Therapeutic Goods Administration (TGA) approval since the 1990s. Most low and middle income countries use a lyophilised powder formulation, which, unlike a prefilled syringe, requires mixing with a diluent at administration.

At a global level, fragmented BPG manufacturing, supply and procurement has led to recurrent global shortages, both of Bicillin-LA and powdered formulations. These shortages have led to an increased incidence of syphilis cases. There are four manufacturers of the active pharmaceutical ingredient (API); three in China and one in Austria. The Chinese companies produce 95% of the global supply but only the Austrian company produces API under certified Good Manufacturing Practice conditions. Due to low profitability, production of powdered BPG is only triggered by large minimum orders. Large procurement agencies are unable to smooth out supply constraints because of a lack of confidence in manufacturing quality.

Rosemary Wyber^{1,2}
Glenn Pearson^{1,3}
Laurens Manning³

1 The Kids Research Institute Australia, Perth, WA.

> **2** Yardhura Walani, Australian National University, Canberra, ACT.

3 University of Western Australia, Perth, WA.

rosemary.wyber@ thekids.org.au

Responses to BPG shortages

Due to a lack of sovereign manufacturing capacity, Australia is vulnerable to shortages of World Health Organization-listed essential medicines, such as BPG. In the early 2000s, there were short supply disruptions of Bicillin-LA, followed by an extended stockout from 2006 to 2008. During this stockout, a Section 19A exemption to the *Therapeutic Goods Act* 1989 (Cwlth) was secured from the TGA to import a powdered formulation (Pan Benz; Panpharma, France) and there were haphazard efforts to support clinician awareness about how to use the preparation. Shorter supply disruptions over subsequent decades have also affected Australia. In late 2023, the TGA was

notified by Pfizer of an expected stockout lasting into mid-2024. 5

Australia's response to the predicted stockout was swift. A Section 19A approval for a powdered product (Brancaster Pharma, UK) was secured in late 2023 and listed on the Pharmaceutical Benefits Scheme from 1 January 2024 and another powdered product in early 2024 (Extencilline, France). 4,5 During this time, a wide range of organisations contributed to the preparations needed for introduction of the alternative product, including understanding the stockout, forecasting the duration and providing guidance on stock management. The National Aboriginal Community Controlled Health Organisation (NACCHO) was instrumental in disseminating key information to end users about the change in formulation and delivery methods. This included webinars and newsletter updates, alongside robust resources from the Australian Commission on Quality and Safety in Health Care and other organisations.⁶

Despite these efforts, shortages of a TGA-approved prefilled BPG preparation have had unacceptable consequences for people living with RHD and syphilis. The recently approved powdered product is reconstituted in an injection volume of 4.5 mL, nearly twice the volume of the existing prefilled BPG product. Injection volume is a major determinant of pain level on administration. Even at 2.3 mL, most people describe receiving Bicillin-LA injections as painful. To prevent RHD, Aboriginal and Torres Strait Islander people at risk of RHD receive these injections every 28 days for a minimum of five years, and any increase in pain is a further unacceptable consequence. There remain difficulties in accessing the recently approved powdered BPG preparation. This has led to the increase in prescriptions of oral penicillin preparations, which are less effective than BPG.

Preventing future shortages

Australia cannot meet Closing the Gap targets or other targets for syphilis and RHD control without a reliable supply of a high quality BPG preparation. The Aboriginal Community Controlled Health Organisation sector and partners have demonstrated considerable capacity to respond to this health emergency but no one can procure product when no product exists. Stockouts and supply disruptions have been a feature of this drug for nearly two decades and ongoing international instability of supply is anticipated. ¹⁰ In addition to domestic effects, shortages are affecting or are anticipated to affect our neighbours in New Zealand (Aotearoa) and across the Asia–Pacific region. Plans for the prevention and management of shortages of BPG and other medicines are needed.

Perspective

Responses to a recent TGA inquiry suggest that clearer governance structures and role definition of stakeholders are key priorities needed to improve Australia's response to medicine shortages. 11 The role of NACCHO and community-controlled organisations should be recognised as part of this, especially for medicines with particular relevance for Aboriginal and Torres Strait Islander people. Recent examples include shortages of permethrin cream (for treatment of scabies), azithromycin (for treatment of wet cough and trachoma) and glucagon-like peptide-1 receptor agonists for management of type 2 diabetes. Mechanisms that address the disproportionate impact of medicine supply issues for Aboriginal and Torres Strait Islander people are consistent with agreed national priorities for Closing the Gap.

Additionally, as part of its commitment to Aboriginal and Torres Strait Islander health and regional health security, Australia should consider specific proactive responses to BPG shortages. This should include exploring sovereign manufacturing capacity to produce locally formulated BPG from quality assured, internationally produced API, such as newly increased supply by Sandoz in Austria. 12 Local formulation of this API could build on Australia's history as a penicillin manufacturer¹³ and amplify impact of new investments in pharmaceutical facilities in Western Australia. 14 Although Australia's pharmaceutical sector remains small by global standards, strategic investment in domestically important products is an agreed, resourced national priority. 15 Onshore pharmaceutical manufacturing is a major capital expense — and cannot provide for all of Australia's medication needs — but does have a role for specific products, as recently illustrated by leadership in mRNA vaccine manufacture. ¹⁶ Sovereign manufacturing of BPG should form part of a comprehensive approach to securing reliable supply of pharmaceuticals for Australia, including support for global supply networks and collaboration between governments.

Further research investment into promising new approaches to manufacture and delivery, led by Australian researchers should also be accelerated. This includes recent data supporting subcutaneous (rather than intramuscular) delivery, which is less painful and lasts longer, resulting in fewer injections. ^{17,18} With this new knowledge and an investment strategy to develop and support local manufacture, Australia could become a global leader in efforts to control these devastating infectious diseases.

Acknowledgements: Laurens Manning is supported by a Medical Research Future Fund Investigator Grant (2020 Better penicillins, better hearts: improving secondary prevention of rheumatic heart disease; Emerging Leadership 2 APP1197177). Rosemary Wyber is supported by a National Health and Medical Research Council Emerging Leadership 2 Fellowship (GNT2025252). No funding agency had any role in study design, data collection, analysis or interpretation, reporting or publication.

Open access: Open access publishing facilitated by Australian National University, as part of the Wiley – Australian National University agreement via the Council of Australian University Librarians.

Competing interests: No relevant disclosures.

Provenance: Not commissioned; externally peer reviewed.

© 2025 The Author(s). *Medical Journal of Australia* published by John Wiley & Sons Australia, Ltd on behalf of AMPCo Pty Ltd.

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

- 1 Department of Health and Aged Care. National syphilis monitoring reports. Canberra: Australian Government, 2024. https://www.health.gov.au/resources/collections/national-syphilis-monitoring-reports?language=en (viewed Feb 2024).
- 2 Department of Health and Aged Care. National Aboriginal and Torres Strait Islander Health Plan 2021 – 2023. Canberra: Australian Government, 2021. https://www.health.gov.au/sites/ default/files/documents/2022/06/national-aboriginal-and-torresstrait-islander-health-plan-2021-2031.pdf (viewed Feb 2024).
- 3 Wyber R, Johnson T, Patel B. Supply of benzathine penicillin G: the 20-year experience in Australia. *Aust N Z J Public Health* 2015: 39: 506-508.
- 4 Nurse-Findlay S, Taylor MM, Savage M, et al. Shortages of benzathine penicillin for prevention of mother-to-child transmission of syphilis: an evaluation from multi-country surveys and stakeholder interviews. *PLoS Med* 2017; 14: e1002473.
- 5 Therapeutic Goods Administration. About the 2023–2024 shortage of Bicillin L-A (benzathine benzylpenicillin tetrahydrate) prefilled syringe for injection [media release]. 25 Nov 2024. https://www.tga.gov.au/safety/shortages/information-about-major-medicine-shortages/about-shortage-bicillin-l-benzathine-benzylpenicillin-tetrahydrate-prefilled-syringe-injection (viewed Jan 2024).
- 6 Australian Commission on Safety and Quality in Health Care. Fact sheet: Safety considerations during benzathine benzylpenicillin (Bicillin L-A) supply disruption. 2024. https://www.safetyandq uality.gov.au/publications-and-resources/resource-library/factsheet-safety-considerations-during-benzathine-benzylpenicillinbillin-l-supply-disruption (viewed Jan 2024).
- 7 Australian Guidance. Preparation and dosing of long-acting S19A benzathine benzylpenicillin EXTENCILLINE product [clinical information resource]. Northern Territory Government, National Aboriginal Community Controlled Health Organisation, Menzies School of Health Research, 2024. https://www.rhdaustralia.org.au/system/files/fileuploads/s19a_benzathine_benzylpenicillin_extencilline_preparation_and_dosing_information_resource_may_2024.pdf (viewed Aug 2024).
- 8 Kado J, Salman S, Hand R, et al. Population pharmacokinetic study of benzathine penicillin G administration in Indigenous children and young adults with rheumatic heart disease in the Northern Territory, Australia. J Antimicrob Chemother 2022; 77: 2679-2682
- 9 Manyemba J, Mayosi B. Penicillin for secondary prevention of rheumatic fever: Cochrane Database Syst Rev; 2002: CD002227.
- **10** Seghers F, Taylor MM, Storey A, et al. Securing the supply of benzathine benzylpenicillin: a global perspective on risks and mitigation strategies to prevent future shortages. *Int Health* 2024; 16: 279-282.
- 11 Therapeutic Goods Administration. Medicine shortages in Australia challenges and opportunities. Feedback updated 29 July 2024. Australian Government Department of Health and Aged Care, 2024. https://consultations.tga.gov.au/tga/medicine-short ages-australia/consultation/published_select_respondent?show_all_questions=0&sort=submitted&order=ascending&_q_text=naccho (viewed Auq 2024).
- 12 Sandoz. Sandoz opens new antibiotic production facility in Austria, to significantly increase capacity for life-saving medicines [media release]. 21 Mar 2024. https://www.sandoz.com/sandozopens-new-antibiotic-production-facility-austria-significantlyincrease-capacity-life-saving/ (viewed Oct 2024).
- **13** Mathews JA. The birth of the biotechnology era: penicillin in Australia, 1943–80. *Prometheus* 2008; 26: 317-333.

- 14 Cook R. World-class pharmaceutical facility delivers jobs boost for WA [media release]. 1 Aug 2024. Government of Western Australia. https://www.wa.gov.au/government/media-state ments/Cook-Labor-Government/World-class-pharmaceutical-facility-delivers-jobs-boost-for-WA-20240801 (viewed Aug 2024).
- 15 National Tribune. Making modern medicines in Australia. Toowoomba: *National Tribune*, 2022. https://www.nationaltribune.com.au/insight-making-modern-medicines-in-australia/(viewed Oct 2024).
- **16** Department of Industry, Science and Resources. mRNA vaccines to be made in Australia [media release]. 14 Dec 2021.

- https://www.minister.industry.gov.au/ministers/taylor/media-releases/mrna-vaccines-be-made-australia
- 17 Kado J, Salman S, Hla TK, et al. Subcutaneous infusion of high-dose benzathine penicillin G is safe, tolerable, and suitable for less-frequent dosing for rheumatic heart disease secondary prophylaxis: a phase 1 open-label population pharmacokinetic study. Antimicrob Agents Chemother 2023; 67: e0096223.
- 18 Enkel SL, Kado J, Hla TK, et al. Qualitative assessment of healthy volunteer experience receiving subcutaneous infusions of high-dose benzathine penicillin G (SCIP) provides insights into design of late phase clinical studies. PLoS One 2023; 18: e0285037. ■